

updated.

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6272507".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 12:31
L2	1424	703/2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 12:31
L3	5	L2 and (business adj model\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 12:31
L4	42	L2 and (business with model\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 12:31
S2	1	09/942096	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 11:54
S3	2	"6311144".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 08:51
S4	18	("5276877" "5446874" "5486995" "5522014" "5726914" "5771370" "5790789" "5801958" "5809282" "5881268" "5893074" "5953707" "5958009" "5984511" "5999734" "6003079" "6009256" "6038540").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/28 08:57
S5	0	(model\$ with business and mathematic\$).ti.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/28 09:00
S6	1299	(model\$ with business) and mathematic\$	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/28 09:44

S7	17	S6 and ("700".class.)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/28 09:53
S8	107	S6 and ("705".class.)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/28 11:51
S9	1	"6560569".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/31 17:43
S11	362	six adj sigma	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 10:16
S12	36	S11 and @ay<"1997"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 10:09
S13	116	S11 and (business same model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 10:10
S18	240	S11 and model\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 10:17
S19	5	simulate with application with bus	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/31 17:46
S20	5	("5337262" "5339262" "5404525" "5557774" "5594741").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/31 17:48
S21	24	multiple with bus adj design	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/31 17:48
S22	8	business adj application adj model\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 10:18

S23	323	(business adj model\$) same (bus or port or interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 10:38
S24	100	(business adj model\$) with (bus or port or interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 10:21
S25	223	S23 not S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 10:39
S26	20	S25 and @ay<"1998"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 10:39
S27	9	(US-20010041995-\$ or US-20010041996-\$ or US-20010032207-\$).did. or (US-5809282-\$ or US-5893074-\$ or US-5953707-\$ or US-5987552-\$ or US-6289382-\$ or US-6532465-\$). did.	US-PGPUB; USPAT	OR	OFF	2005/02/01 15:14